

Refine Search

Search Results -

Term	Documents
GATEWAY	38615
GATEWAYS	10546
HIGH	6653731
HIGHS	2512
THROUGHPUT	160016
THROUGHPUTS	6503
(I1 AND ((HIGH ADJ THROUGHPUT) OR GATEWAY)).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	28
(L11 AND (GATEWAY OR (HIGH ADJ THROUGHPUT))).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	28

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L14

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Wednesday, May 05, 2004 [Printable Copy](#) [Create Case](#)

Set Name Query
 side by side


Hit Count Set Name
 result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; THES=ASSIGNEE; PLUR=YES;
 OP=AND

<u>L14</u>	L11 and (Gateway or (high adj throughput))	28	<u>L14</u>
<u>L13</u>	L11 and ((first or second or third or fourth) adj recombination)	2	<u>L13</u>
<u>L12</u>	L11 and ((first and second and third and fourth) adj recombination)	1	<u>L12</u>

<u>L11</u>	L10 same (recombination or recombinase)	106	<u>L11</u>
<u>L10</u>	(silencing adj construct) or (gene adj silencing)	1258	<u>L10</u>
<u>L9</u>	L7 and ((silencing adj construct) or (gene adj silencing))	5	<u>L9</u>
<u>L8</u>	L7 and (recombination adj cloning)	0	<u>L8</u>
<u>L7</u>	L5 and (high adj throughput)	86	<u>L7</u>
<u>L6</u>	L5 and (attB1 and attB2 and attP1 and attP2)	0	<u>L6</u>
<u>L5</u>	(PCR adj product) same (sense and anti-sense)	507	<u>L5</u>
<u>L4</u>	pHELLSGATE	3	<u>L4</u>
<u>L3</u>	L2 and (recombination or recombinase)	7	<u>L3</u>
<u>L2</u>	Waterhouse-Peter-M\$.in.	12	<u>L2</u>
<u>L1</u>	Helliwell-christopher-A\$.in.	1	<u>L1</u>

END OF SEARCH HISTORY



Day : Wednesday

Date: 5/5/2004

Time: 10:45:35


Inventor Name Search

Enter the **first few letters** of the Inventor's Last Name.
Additionally, enter the **first few letters** of the Inventor's First name.

Last Name**First Name**

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)



Day : Wednesday

Date: 5/5/2004

Time: 10:45:35

Inventor Name Search

Enter the **first few letters** of the Inventor's Last Name.
Additionally, enter the **first few letters** of the Inventor's First name.

Last Name**First Name**

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Status: Path 1 of [Dialog Information Services via Modem]

Status: Initializing TCP/IP using (UseTelnetProto 1 ServiceID pto-dialog)
Trying 31060000009999...Open

DIALOG INFORMATION SERVICES
PLEASE LOGON:

***** HHHHHHHH SSSSSSSS?

Status: Signing onto Dialog

ENTER PASSWORD:

***** HHHHHHHH SSSSSSSS? *****

Welcome to DIALOG

Status: Connected

Dialog level 04.06.01D

Last logoff: 04may04 12:48:37

Logon file001 05may04 12:03:38

*** ANNOUNCEMENT ***

--File 654 - US published applications from March 15, 2001 to the
present are now online. Please see HELP NEWS 654 for details.

--File 581 - The 2003 annual reload of Population Demographics is
complete. Please see Help News581 for details.

--File 990 - NewsRoom now contains February 2003 to current records.
File 992 - NewsRoom 2003 archive has been newly created and contains
records from January 2003. The oldest months's records roll out of
File 990 and into File 992 on the first weekend of each month.
To search all 2003 records BEGIN 990, 992, or B NEWS2003, a new
OneSearch category.

--Connect Time joins DialUnits as pricing options on Dialog.
See HELP CONNECT for information.

--SourceOne patents are now delivered to your email inbox
as PDF replacing TIFF delivery. See HELP SOURCE1 for more
information.

--Important Notice to Freelance Authors--
See HELP FREELANCE for more information

NEW FILES RELEASED

***AeroBase (File 104)

***DIOGENES: Adverse Drug Events Database (File 181)

***World News Connection (File 985)

***Dialog NewsRoom - 2003 Archive (File 992)

***TRADEMARKSCAN-Czech Republic (File 680)

***TRADEMARKSCAN-Hungary (File 681)

***TRADEMARKSCAN-Poland (File 682)

UPDATING RESUMED

RELOADED

***Medline (Files 154-155)

***Population Demographics -(File 581)

***CLAIMS Citation (Files 220-222)

REMOVED

>>> Enter BEGIN HOMEBASE for Dialog Announcements <<<
>>> of new databases, price changes, etc. <<<

KWIC is set to 50.

HIGHLIGHT set on as '*'

*

*

* ALL NEW CURRENT YEAR RANGES HAVE BEEN * * *

* * * INSTALLED * * *

*

File 1:ERIC 1966-2004/Apr 29

(c) format only 2004 The Dialog Corporation

Set	Items	Description
-----	-------	-------------

---	-----	-----
-----	-------	-------

Cost is in DialUnits

?b 155, 5, 73

05may04 12:04:09 User259876 Session D618.1

\$0.32 0.092 DialUnits File1

\$0.32 Estimated cost File1

\$0.12 TELNET

\$0.44 Estimated cost this search

\$0.44 Estimated total session cost 0.092 DialUnits

SYSTEM:OS - DIALOG OneSearch

File 155:MEDLINE(R) 1966-2004/Apr W4

(c) format only 2004 The Dialog Corp.

***File 155: Medline has been reloaded. Accession numbers**
have changed. Please see HELP NEWS 154 for details.

File 5:Biosis Previews(R) 1969-2004/Apr W4

(c) 2004 BIOSIS

File 73:EMBASE 1974-2004/Apr W4

(c) 2004 Elsevier Science B.V.

Set	Items	Description
-----	-------	-------------

---	-----	-----
-----	-------	-------

?s (construct) (s) ((gene (w) silencing) and (high (w) throughput))

92618 CONSTRUCT

2252449 GENE

16461 SILENCING

8835 GENE(W)SILENCING

3698661 HIGH

23156 THROUGHPUT

17023 HIGH(W)THROUGHPUT

S1 8 (CONSTRUCT) (S) ((GENE (W) SILENCING) AND (HIGH (W)
THROUGHPUT))

?rd

...completed examining records

S2 4 RD (unique items)

?t s2/3,k/all

2/3,K/1 (Item 1 from file: 155)

DIALOG(R)File 155:MEDLINE(R)

(c) format only 2004 The Dialog Corp. All rts. reserv.

15682043 PMID: 12828942

Constructs and methods for high-throughput gene silencing in plants.

Helliwell Chris; Waterhouse Peter

CSIRO Plant Industry, GPO Box 1600, Canberra ACT 2601, Australia.

Methods (San Diego, Calif.) (United States) Aug 2003, 30 (4) p289-95

, ISSN 1046-2023 Journal Code: 9426302

Document type: Evaluation Studies; Journal Article

Languages: ENGLISH

Main Citation Owner: NLM

Record type: Completed

... encodes an intron, the efficiency of gene silencing is very high. There are at least three ways in which hpRNA constructs can be made. The *construct* may be generated from standard binary plant transformation vectors in which the hairpin-encoding region is generated de novo for each gene. Alternatively, generic *gene*-*silencing* vectors such as the PHANNIBAL and the PHELLSGATE series can be used. They simply require the insertion of PCR products, derived from the target gene...

2/3,K/2 (Item 2 from file: 155)
DIALOG(R) File 155:MEDLINE(R)
(c) format only 2004 The Dialog Corp. All rts. reserv.

12261162 PMID: 12609050

Inverted repeat of a heterologous 3'-untranslated region for high-efficiency, high-throughput gene silencing.

Brummell David A; Balint-Kurti Peter J; Harpster Mark H; Palys Joseph M; Oeller Paul W; Gutterson Neal

DNA Plant Technology, 6701 San Pablo Avenue, Oakland, CA 94608, USA.
brummelld@crop.cri.nz

Plant journal - for cell and molecular biology (England) Feb 2003, 33

(4) p793-800, ISSN 0960-7412 Journal Code: 9207397

Document type: Journal Article

Languages: ENGLISH

Main Citation Owner: NLM

Record type: Completed

... procedure for high-efficiency gene silencing is specific for a target gene, but does not require inverted repeat DNA of the target gene in the *construct*. The method employs an inverted repeat of the 3'-untranslated region (3'-UTR) of a heterologous gene, and has been demonstrated using the 3'-UTR...

... and the inverted nos domain in a single-cloning step, and does not require any knowledge of the DNA sequence. The approach is suitable for *high*-*throughput* *gene* *silencing* studies, where it is necessary to investigate the function of hundreds to thousands of uncharacterized genes.

2/3,K/3 (Item 3 from file: 155)
DIALOG(R) File 155:MEDLINE(R)
(c) format only 2004 The Dialog Corp. All rts. reserv.

11469437 PMID: 11576441

Construct design for efficient, effective and *high*-*throughput* *gene* *silencing* in plants.

Wesley S V; Helliwell C A; Smith N A; Wang M B; Rouse D T; Liu Q; Gooding P S; Singh S P; Abbott D; Stoutjesdijk P A; Robinson S P; Gleave A P; Green A G; Waterhouse P M

CSIRO Plant Industry, PO Box 1600 Canberra ACT 2601, Australia.

Plant journal - for cell and molecular biology (England) Sep 2001, 27

(6) p581-90, ISSN 0960-7412 Journal Code: 9207397

Document type: Journal Article

Languages: ENGLISH

Main Citation Owner: NLM

Record type: Completed

Construct design for efficient, effective and *high*-*throughput* *gene* *silencing* in plants.

... generic vector, PHANNIBAL, that allows a simple, single PCR product from a gene of interest to be easily converted into a highly effective ihpRNA silencing *construct*. We have also created a *high*-*throughput* vector, PHELLSGATE, that should facilitate the cloning of gene libraries or large numbers of defined genes, such as those in EST collections, using an in...

2/3,K/4 (Item 1 from file: 5)
DIALOG(R)File 5:Biosis Previews(R)
(c) 2004 BIOSIS. All rts. reserv.

0014049031 BIOSIS NO.: 200300007750

High-throughput vectors for efficient gene silencing in plants.

AUTHOR: Helliwell Chris A (Reprint); Wesley S Varsha; Wielopolska Anna J;
Waterhouse Peter M

AUTHOR ADDRESS: CSIRO Plant Industry, GPO Box 1600, Canberra, ACT, 2601,
Australia**Australia

AUTHOR E-MAIL ADDRESS: chris.helliwell@csiro.au

JOURNAL: Functional Plant Biology 29 (10): p1217-1225 2002 2002

MEDIUM: print

ISSN: 1445-4408 (ISSN print)

DOCUMENT TYPE: Article

RECORD TYPE: Abstract

LANGUAGE: English

...ABSTRACT: In this paper we describe two improved pHellsgate vectors that facilitate rapid generation of hpRNA-encoding constructs. pHellsgate 4 allows the production of an hpRNA *construct* in a single step from a single polymerase chain reaction product, while pHellsgate 8 requires a two-step process via an intermediate vector. We show...

...these vectors are effective at silencing three endogenous genes in Arabidopsis, FLOWERING LOCUS C, PHYTOENE DESATURASE and ETHYLENE INSENSITIVE 2. We also show that a *construct* of sequences from two genes silences both genes.

?ds

Set	Items	Description
S1	8	(CONSTRUCT) (S) ((GENE (W) SILENCING) AND (HIGH (W) THROUGH- HPUT))
S2	4	RD (unique items)
?s (gene (w) silencing) (s) (high (w) throughput)		
	2252449	GENE
	16461	SILENCING
	3698661	HIGH
	23156	THROUGHPUT
S3	53	(GENE (W) SILENCING) (S) (HIGH (W) THROUGHPUT)
?s s3 and (recombination or recombinase)		
	53	S3
	118736	RECOMBINATION
	7267	RECOMBINASE
S4	6	S3 AND (RECOMBINATION OR RECOMBINASE)

?rd

...completed examining records

S5	3	RD (unique items)
?s s5 not s2		
	3	S5
	4	S2
S6	1	S5 NOT S2
?t s6/3,k/all		

6/3,K/1 (Item 1 from file: 73)
DIALOG(R)File 73:EMBASE
(c) 2004 Elsevier Science B.V. All rts. reserv.

11297752 EMBASE No: 2001312037

Reverse genetics in plants

Tissier A.; Bourgeois P.

A. Tissier, CEA/Cadarache, DEVM, Lab. de Radiobiologie Vegetale, 13108 St
Paul-lez-Durance Cedex France

AUTHOR EMAIL: alain.tissier@cea.fr

Current Genomics (CURR. GENOMICS) (Netherlands) 2001, 2/3 (269-284)

CODEN: CGUEA ISSN: 1389-2029
 DOCUMENT TYPE: Journal ; Article
 LANGUAGE: ENGLISH SUMMARY LANGUAGE: ENGLISH
 NUMBER OF REFERENCES: 187

...review is to explore the technological avenues taken to address this question and to provide an update on current developments. Because gene targeting by homologous *recombination* is still not a commodity in plants and despite recent progress with chimeric oligonucleotides, other strategies have been implemented. The most well established routes rely...

...rice. T-DNA may also be used as an insertion mutagen in species where transformation frequencies are high. In species where transformation is less efficient, *gene* *silencing* may prove to be an attractive solution. Finally, the advent of *high* *throughput* mutation detection techniques will allow the use of conventional chemically or physically induced mutagenesis in plant reverse genetics. This is theoretically applicable to a wide...

MEDICAL DESCRIPTORS:

gene targeting; genetic *recombination*; mutagenesis; gene insertion; transposon; Agrobacterium; genetic transformation; genetic engineering; maize; Arabidopsis; rice; gene silencing; gene mutation; DNA RNA hybridization; retroposon; nonhuman; controlled study; article
 ?ds

Set	Items	Description
S1	8	(CONSTRUCT) (S) ((GENE (W) SILENCING) AND (HIGH (W) THROUGHPUT))
S2	4	RD (unique items)
S3	53	(GENE (W) SILENCING) (S) (HIGH (W) THROUGHPUT)
S4	6	S3 AND (RECOMBINATION OR RECOMBINASE)
S5	3	RD (unique items)
S6	1	S5 NOT S2
?s pHELLSGATE		
S7	9	PHHELLSGATE
?rd		
...completed examining records		
S8	6	RD (unique items)
?s s8 not s2		
	6	S8
	4	S2
S9	3	S8 NOT S2
?t s9/3,k/all		

9/3,K/1 (Item 1 from file: 155)
 DIALOG(R)File 155:MEDLINE(R)
 (c) format only 2004 The Dialog Corp. All rts. reserv.

16044753 PMID: 15103072

Posttranscriptional gene silencing in plants.

Wesley Susan Varsha; Helliwell Chris; Wang Ming-Bo; Waterhouse Peter
 Methods in molecular biology (Clifton, N.J.) (United States) 2004, 265
 p117-30, ISSN 1064-3745 Journal Code: 9214969
 Document type: Journal Article
 Languages: ENGLISH
 Main Citation Owner: NLM
 Record type: In Data Review

... Hairpin RNA-mediated gene silencing exploits this cellular mechanism. A convenient way of generating hairpin constructs is to use generic vectors such as pHANNIBAL and *pHELLSGATE*, vectors based on the Gateway(R) technology. These vectors are suitable for high-throughput gene silencing, and the silencing effect is stably inherited over many...

9/3,K/2 (Item 2 from file: 155)
 DIALOG(R)File 155:MEDLINE(R)

(c) format only 2004 The Dialog Corp. All rts. reserv.

15632201 PMID: 14501070

Custom knock-outs with hairpin RNA-mediated gene silencing.

Wesley Susan Varsha; Liu Qing; Wielopolska Anna; Ellacott Geoff; Smith Neil; Singh Surinder; Helliwell Chris

CSIRO Plant Industry, Canberra, Australia.

Methods in molecular biology (Clifton, N.J.) (United States) 2003, 236 p273-86, ISSN 1064-3745 Journal Code: 9214969

Document type: Journal Article

Languages: ENGLISH

Main Citation Owner: NLM

Record type: Completed

... made using conventional plasmids, use of generic vectors such as PHANNIBAL makes it more convenient to silence a number of genes simultaneously. Vectors, such as *PHELLSGATE*, that are based on the Gateway(R) technology are suitable for high-throughput gene silencing. The specificity of dsRNA silencing, it's ability to simultaneously...

9/3,K/3 (Item 1 from file: 5)

DIALOG(R)File 5:Biosis Previews(R)

(c) 2004 BIOSIS. All rts. reserv.

0014749914 BIOSIS NO.: 200400120671

PTGS approaches to large-scale functional genomics in plants.

BOOK TITLE: RNAi: A guide to gene silencing

AUTHOR: Burch-Smith Tessa M (Reprint); Miller Jennifer L (Reprint); Dinesh-Kumar Savithramma P (Reprint)

BOOK AUTHOR/EDITOR: Hannon Gregory J (Editor)

AUTHOR ADDRESS: Department of Molecular, Cellular, and Developmental Biology, Yale University, New Haven, CT, 06520-8104, USA**USA

p243-263 2003

MEDIUM: print

BOOK PUBLISHER: Cold Spring Harbor Laboratory Press, 1 Bungtown Road, P. O. Box 100, Cold Spring Harbor, NY, 11724-2203, USA

ISBN: 0-87969-641-9 (cloth)

DOCUMENT TYPE: Book Chapter

RECORD TYPE: Citation

LANGUAGE: English

DESCRIPTORS:

CHEMICALS & BIOCHEMICALS: ...*PHELLSGATE*--

?ds

Set	Items	Description
S1	8	(CONSTRUCT) (S) ((GENE (W) SILENCING) AND (HIGH (W) THROUGH- HPUT))
S2	4	RD (unique items)
S3	53	(GENE (W) SILENCING) (S) (HIGH (W) THROUGHPUT)
S4	6	S3 AND (RECOMBINATION OR RECOMBINASE)
S5	3	RD (unique items)
S6	1	S5 NOT S2
S7	9	PHELLSGATE
S8	6	RD (unique items)
S9	3	S8 NOT S2
?s (recombination (w) cloning) and (Gateway)		
	118736	RECOMBINATION
	319781	CLONING
	112	RECOMBINATION(W)CLONING
	1414	GATEWAY
S10	5	(RECOMBINATION (W) CLONING) AND (GATEWAY)
?rd		
...completed examining records		
S11	4	RD (unique items)
?s s11 not s2		

4 S11
4 S2
S12 4 S11 NOT S2
?t s12/3,k/all

12/3,K/1 (Item 1 from file: 155)
DIALOG(R)File 155:MEDLINE(R)
(c) format only 2004 The Dialog Corp. All rts. reserv.

11566711 PMID: 11759842

Generation of RCAS vectors useful for functional genomic analyses.

Loftus S K; Larson D M; Watkins-Chow D; Church D M; Pavan W J
Mouse Embryology Section, Genetic Disease Research Institute, National
Institutes of Health, Bethesda, MD 20892-4472, USA. sloftus@nhgri.nih.gov
DNA research - an international journal for rapid publication of reports
on genes and genomes (Japan) Oct 31 2001, 8 (5) p221-6, ISSN
1340-2838 Journal Code: 9423827
Document type: Journal Article
Languages: ENGLISH
Main Citation Owner: NLM
Record type: Completed

... sparse cloning sites. To overcome some of the disadvantages of
traditional cloning using the RCASBP-Y vector, we have modified the
RCASBP-Y to incorporate "*Gateway*" site-specific *recombination* *cloning*
of genes into the construct, either with or without HA epitope tags. We
have found the repetitive "att" sequences, which are the targets for site
...

12/3,K/2 (Item 2 from file: 155)
DIALOG(R)File 155:MEDLINE(R)
(c) format only 2004 The Dialog Corp. All rts. reserv.

11200256 PMID: 11242119

**Open-reading-frame sequence tags (OSTs) support the existence of at least
17,300 genes in C. elegans.**

Reboul J; Vaglio P; Tzellas N; Thierry-Mieg N; Moore T; Jackson C; Shin-i
T; Kohara Y; Thierry-Mieg D; Thierry-Mieg J; Lee H; Hitti J; Doucette-Stamm
L; Hartley J L; Temple G F; Brasch M A; Vandenhaute J; Lamesch P E; Hill D
E; Vidal M
Dana-Farber Cancer Institute and Department of Genetics, Harvard Medical
School, Boston, Massachusetts, USA.
Nature genetics (United States) Mar 2001, 27 (3) p332-6, ISSN
1061-4036 Journal Code: 9216904
Contract/Grant No.: R21 CA81658 A 01; CA; NCI; RO1 HG01715-01; HG; NHGRI
Comment in Nat Genet. 2001 Mar;27(3) 227-8; Comment in PMID 11242092
Document type: Journal Article
Languages: ENGLISH
Main Citation Owner: NLM
Record type: Completed

... applied to C. elegans the following strategy. Predicted ORFs are
amplified by PCR from a highly representative cDNA library using
ORF-specific primers, cloned by *Gateway* *recombination* *cloning* and
then sequenced to generate ORF sequence tags (OSTs) as a way to verify
identity and splicing. In a sample (n=1,222) of the...

12/3,K/3 (Item 1 from file: 5)
DIALOG(R)File 5:Biosis Previews(R)
(c) 2004 BIOSIS. All rts. reserv.

0014426603 BIOSIS NO.: 200300383880

Genetic manipulation of the Sinorhizobium meliloti 1021 genome.

AUTHOR: Schroeder B K (Reprint); House B L (Reprint); Mortimer M M
(Reprint); Maloney S C (Reprint); Warren K (Reprint); Yurgel S (Reprint);

Kahn M L (Reprint)
 AUTHOR ADDRESS: Washington State University, Inst. of Biological Chemistry,
 Pullman, WA, 99164, USA**USA
 JOURNAL: Phytopathology 93 (6 Supplement): pS77 June 2003 2003
 MEDIUM: print
 CONFERENCE/MEETING: Annual Meeting of the American Phytopathological
 Society Charlotte, North Carolina, USA August 09-13, 2003; 20030809
 SPONSOR: American Phytopathological Society
 ISSN: 0031-949X (ISSN print)
 DOCUMENT TYPE: Meeting; Meeting Abstract
 RECORD TYPE: Abstract
 LANGUAGE: English

...ABSTRACT: large-scale genetic manipulation of the *S. meliloti* genome.
 Phase one involves the cloning of the predicted ORFs into a modified
 "entry" plasmid for the *GATEWAY* integrase-mediated *recombination*
 cloning system. Phase two of the project involves the transfer of the
 cloned ORFs into various destination vectors and the use of these
 destination vectors to...

12/3,K/4 (Item 2 from file: 5)
 DIALOG(R)File 5:Biosis Previews(R)
 (c) 2004 BIOSIS. All rts. reserv.

0013992004 BIOSIS NO.: 200200585515

A new platform for genomic manipulation of *Sinorhizobium meliloti*
 AUTHOR: House B L (Reprint); Mortimer M W (Reprint); Kahn M L (Reprint)
 AUTHOR ADDRESS: Washington State University, Pullman, WA, USA**USA
 JOURNAL: Abstracts of the General Meeting of the American Society for
 Microbiology 102 p235 2002 2002
 MEDIUM: print
 CONFERENCE/MEETING: 102nd General Meeting of the American Society for
 Microbiology Salt Lake City, UT, USA May 19-23, 2002; 20020519
 SPONSOR: American Society for Microbiology
 ISSN: 1060-2011
 DOCUMENT TYPE: Meeting; Meeting Abstract
 RECORD TYPE: Abstract
 LANGUAGE: English

...ABSTRACT: 1021 is predicted to contain over 6000 open reading frames on
 the chromosome and two "megaplasmids". We have constructed several new
 plasmids based on the *GATEWAY* integrase-mediated *recombination*
 cloning system developed by Life Technologies/Invitrogen that have been
 designed to make this system more compatible for use in *E. coli* and other
 bacteria, including...

DESCRIPTORS:

METHODS & EQUIPMENT: *GATEWAY* integrase-mediated *recombination*
 cloning system...

?ds

Set	Items	Description
S1	8	(CONSTRUCT) (S) ((GENE (W) SILENCING) AND (HIGH (W) THROUGH- HPUT))
S2	4	RD (unique items)
S3	53	(GENE (W) SILENCING) (S) (HIGH (W) THROUGHPUT)
S4	6	S3 AND (RECOMBINATION OR RECOMBINASE)
S5	3	RD (unique items)
S6	1	S5 NOT S2
S7	9	PHELLSGATE
S8	6	RD (unique items)
S9	3	S8 NOT S2
S10	5	(RECOMBINATION (W) CLONING) AND (GATEWAY)
S11	4	RD (unique items)
S12	4	S11 NOT S2

?s ((first or second or third or fourth) (w) recombination) (s) (vector or construct)
 2204944 FIRST

1028621 SECOND
502776 THIRD
126771 FOURTH
118736 RECOMBINATION
267896 VECTOR
92618 CONSTRUCT
S13 13 ((FIRST OR SECOND OR THIRD OR FOURTH) (W) RECOMBINATION)
(S) (VECTOR OR CONSTRUCT)

?rd

...completed examining records

S14 7 RD (unique items)

?s s14 not s2

7 S14

4 S2

S15 7 S14 NOT S2

?t s15/3,k/all

15/3,K/1 (Item 1 from file: 155)
DIALOG(R)File 155:MEDLINE(R)
(c) format only 2004 The Dialog Corp. All rts. reserv.

13536976 PMID: 9223494

Homologous recombination occurs in a distinct retroviral subpopulation and exhibits high negative interference.

Hu W S; Bowman E H; Delviks K A; Pathak V K

Department of Microbiology and Immunology, and Mary Babb Randolph Cancer Center, School of Medicine, West Virginia University, Morgantown 26506, USA.

Journal of virology (UNITED STATES) Aug 1997, 71 (8) p6028-36,
ISSN 0022-538X Journal Code: 0113724

Contract/Grant No.: CA58345; CA; NCI; CA58875; CA; NCI

Document type: Journal Article

Languages: ENGLISH

Main Citation Owner: NLM

Record type: Completed

... retroviral recombination occurs within a distinct viral subpopulation and exhibits high negative interference, whereby the selection of one recombination event increases the probability that a *second* *recombination* event will be observed.

15/3,K/2 (Item 2 from file: 155)
DIALOG(R)File 155:MEDLINE(R)
(c) format only 2004 The Dialog Corp. All rts. reserv.

13331510 PMID: 9003306

A general system for generating unlabelled gene replacements in bacterial chromosomes.

Leenhouts K; Buist G; Bolhuis A; ten Berge A; Kiel J; Mierau I; Dabrowska M; Venema G; Kok J

Department of genetics, University of Groningen, Haren, The Netherlands.

Molecular & general genetics - MGG (GERMANY) Nov 27 1996, 253 (1-2)
p217-24, ISSN 0026-8925 Journal Code: 0125036

Document type: Journal Article

Languages: ENGLISH

Main Citation Owner: NLM

Record type: Completed

... cointegrate structure is identified in the second step of the procedure by the loss of the lacZ reporter gene present in the delivery vector. The *second* *recombination* event results either in gene replacement or in restoration of the original copy of the gene. As no antibiotic resistance marker is present in the...

15/3,K/3 (Item 3 from file: 155)

DIALOG(R)File 155:MEDLINE(R)

(c) format only 2004 The Dialog Corp. All rts. reserv.

09428950 PMID: 1369394

Expansion of insecticidal host range of *Bacillus thuringiensis* by in vivo genetic recombination.

Lereclus D; Vallade M; Chaufaux J; Arantes O; Rambaud S
Unite de Biochimie Microbienne, URA 1300, Centre National de la Recherche Scientifique, Institut Pasteur, Paris, France.

Bio/technology (Nature Publishing Company) (UNITED STATES) Apr 1992,
10 (4) p418-21, ISSN 0733-222X Journal Code: 8309273

Document type: Journal Article

Languages: ENGLISH

Main Citation Owner: NLM

Record type: Completed

... then selected at non-permissive temperature for clones in which the vector had integrated into a copy of IS232 present on a resident plasmid. A *second* *recombination* event was selected such that the *vector* was eliminated and the newly introduced toxin gene was conserved. The resulting strain contained only DNA of Bt origin, and displayed insecticidal activity against both...

15/3,K/4 (Item 4 from file: 155)

DIALOG(R)File 155:MEDLINE(R)

(c) format only 2004 The Dialog Corp. All rts. reserv.

02020467 PMID: 11894957

Intergeneric transfer and exchange recombination of restriction fragments cloned in pBR322: a novel strategy for the reversed genetics of the Ti plasmids of *Agrobacterium tumefaciens*.

Van Haute E; Joos H; Maes M; Warren G; Van Montagu M; Schell J
Laboratorium voor Genetica, Rijksuniversiteit Gent, Belgium.

EMBO journal (England) 1983, 2 (3) p411-7, ISSN 0261-4189
Journal Code: 8208664

Document type: Journal Article

Languages: ENGLISH

Main Citation Owner: NLM

Record type: Completed

... Ti plasmid. A second recombination can dissociate the co-integrate plasmid into the desired mutant Ti plasmid and a non-replicating plasmid formed by the *vector* plasmid pBR322 and the target Ti fragment. These second recombinants lose the second plasmid and they are identified by screening for the appropriate marker combination.

15/3,K/5 (Item 1 from file: 5)

DIALOG(R)File 5:Biosis Previews(R)

(c) 2004 BIOSIS. All rts. reserv.

0014554969 BIOSIS NO.: 200300523688

Methods and compositions for genomic modification

AUTHOR: Calos Michele P (Reprint)

AUTHOR ADDRESS: Woodside, CA, USA**USA

JOURNAL: Official Gazette of the United States Patent and Trademark Office
Patents 1275 (2): Oct. 14, 2003 2003

MEDIUM: e-file

PATENT NUMBER: US 6632672 PATENT DATE GRANTED: October 14, 2003 20031014

PATENT CLASSIFICATION: 435-462 PATENT ASSIGNEE: The Board of Trustees of
the Leland Stanford Junior University PATENT COUNTRY: USA

ISSN: 0098-1133_(ISSN print)

DOCUMENT TYPE: Patent

RECORD TYPE: Abstract

LANGUAGE: English

...ABSTRACT: cell, as well as, enzymes, polypeptides, and a variety of vector constructs useful therefore. In the method, a targeting construct comprises, for example, (i) a *first* *recombination* site and a polynucleotide sequence of interest, and (ii) a site-specific recombinase, which are introduced into the cell. The genome of the cell comprises a *second* *recombination* site. Recombination between the first and *second* *recombination* sites is facilitated by the site-specific recombinase. The invention describes compositions, vectors, and methods of use thereof, for the generation of transgenic cells, tissues...

15/3,K/6 (Item 2 from file: 5)
DIALOG(R)File 5:Biosis Previews(R)
(c) 2004 BIOSIS. All rts. reserv.

0009441016 BIOSIS NO.: 199497462301

An improved system of somatic cell molecular genetics for analyzing the requirements of Ig synthesis and function

AUTHOR: Oancea Adriana E; Shulman Marc J

AUTHOR ADDRESS: Dep. Immunol., Univ. Toronto, Toronto, CAN M5S 1A8, Canada
**Canada

JOURNAL: International Immunology 6 (8): p1161-1168 1994 1994

ISSN: 0953-8178

DOCUMENT TYPE: Article

RECORD TYPE: Abstract

LANGUAGE: English

...ABSTRACT: to thioxanthine (TX). One application of this effect is that selection for TX resistance can be used to enrich for targeted mutations introduced by a *second* *recombination* event (bait-and-switch method). Another application concerns the possibility of identifying unanticipated expression enhancing elements in the IgH locus by selecting phenotypically for gpt...

15/3,K/7 (Item 3 from file: 5)
DIALOG(R)File 5:Biosis Previews(R)
(c) 2004 BIOSIS. All rts. reserv.

0006191345 BIOSIS NO.: 198886031266

CONSTRUCTION OF A TRA-NEGATIVE DELETION MUTANT OF PAGK84 TO SAFEGUARD THE BIOLOGICAL CONTROL OF CROWN GALL

AUTHOR: JONES D A (Reprint); RYDER M H; CLARE B G; FARRAND S K; KERR A

AUTHOR ADDRESS: DEP PLANT PATHOL, WAITE AGRIC RES INST, UNIV ADELAIDE, GLEN OSMOND, SOUTH AUSTRALIA 5064**AUSTRALIA

JOURNAL: Molecular and General Genetics 212 (2): p207-214 1988

ISSN: 0026-8925

DOCUMENT TYPE: Article

RECORD TYPE: Abstract

LANGUAGE: ENGLISH

...ABSTRACT: the pBR325-based deletion construct by homologous recombination. The cointegrate was transferred by conjugation to a derivative of strain K84 lacking pAgK84, in which a *second* *recombination* event generated a stable deletion-mutant by deletion-marker exchange. The resultant new strain of A. radiobacter, designated K1026, shows normal agrocin 84 production. Mating...

?ds

Set	Items	Description
S1	8	(CONSTRUCT) (S) ((GENE (W) SILENCING) AND (HIGH (W) THROUGH-HPUT))
S2	4	RD (unique items)
S3	53	(GENE (W) SILENCING) (S) (HIGH (W) THROUGHPUT)
S4	6	S3 AND (RECOMBINATION OR RECOMBINASE)
S5	3	RD (unique items)

S6 1 S5 NOT S2
 S7 9 PHELLSGATE
 S8 6 RD (unique items)
 S9 3 S8 NOT S2
 S10 5 (RECOMBINATION (W) CLONING) AND (GATEWAY)
 S11 4 RD (unique items)
 S12 4 S11 NOT S2
 S13 13 ((FIRST OR SECOND OR THIRD OR FOURTH) (W) RECOMBINATION) (-
 S) (VECTOR OR CONSTRUCT)
 S14 7 RD (unique items)
 S15 7 S14 NOT S2

?logoff

05may04 12:15:51 User259876 Session D618.2
 \$3.15 0.984 DialUnits File155
 \$2.31 11 Type(s) in Format 3
 \$2.31 11 Types
 \$5.46 Estimated cost File155
 \$6.71 1.198 DialUnits File5
 \$12.25 7 Type(s) in Format 3
 \$12.25 7 Types
 \$18.96 Estimated cost File5
 \$7.51 0.767 DialUnits File73
 \$2.70 1 Type(s) in Format 3
 \$2.70 1 Types
 \$10.21 Estimated cost File73
 OneSearch, 3 files, 2.948 DialUnits FileOS
 \$3.00 TELNET
 \$37.63 Estimated cost this search
 \$38.07 Estimated total session cost 3.040 DialUnits

Status: Signed Off. (13 minutes)